



MECHANIZED HEDGE TRIMMING & MECHANICAL WEED CONTROL

EFFICIENT ✕ RELIABLE ✕ DURABLE

CONTENTS

Thank you for your interest in the products of Becx Machines. Our aim is to develop and produce sustainable machines that are perfectly in keeping with the needs of consumers. Machines that make your daily activities considerably easier and offer the reliable performance that users deserve.

Functionality and high quality go hand in hand at Becx Machines. With over 15 years of experience in developing and building machines, we can guarantee that our products live up to every promise in this brochure.

Best regards,

Erwin Hommen



Erwin Hommen
Director Becx Machines
+31 (0)6 30 62 75 96
erwin@becxmachines.com

becxmachines.com
De Sonman 35
5066 GJ Moergestel
+31 (0)13 207 07 60

CONTACT VIA YOUR DEALER

Are you curious about Becx Machines or do you require personal advice? Please feel free to contact us or your local Becx Machines dealer. We will be glad to assist you with our expertise and tailor-made service!

This brochure is subject to potential printing errors.

TABLE OF CONTENTS

Contents	02
Method	04
Hedge trimmers	06
HS75HR	08
HS130HR	10
HS131HR	12
HS131C	14
HS150HR	16
HS210HR	18
HS240HR	20
HS75ER	22
Hydraulic arms & rotators	24
WLA60	26
MA270	28
DRHS34	30
ERHS45	32
DRHS55	34
Weed brushes & grass trimmers	36
OB90M	38
OB90	40
OBA50	42
OBKS50-35	44
OBKS90-45	46



MADE IN THE NETHERLANDS

THE IDEA

All good products are based on good ideas. Becx Machines does its utmost to effectively convert such ideas into functional and durable machines. In the engineering department, ideas first become drawings; drawings then become prototypes; and prototypes become products after further development. These are **EFFECTIVE** products that Becx Machines wholeheartedly believes in!




PRODUCTION

Because Becx Machines believes in short lines of communication and the ability to respond quickly, Becx Machines prefers to keep production and product development activities in-house or very close to the company. Due to short distances and short lines of communication, changes can be quickly implemented, produced items can be inspected efficiently and consistent quality and timely delivery can be guaranteed.



WELDING COBOT

Our welders use a welding Cobot to guarantee consistent welding quality. The Cobot is used wherever possible. The accuracy of this machine is reflected in the quality of the welded components.



ASSEMBLY

The machines are assembled, inspected and tested in our in-house workshop by experienced professionals who are passionate about their job.



INFORMATION

Information is an essential factor in today's world. Becx Machines understands the importance of providing good information. This brochure features basic details about all machines. Besides this brochure, you can also visit becxmachines.com. This website contains further information about each machine, as well as useful photos and videos.



**LET'S GET
STARTED!**





HEDGE TRIMMERS

Becx Machines personally designs a number of hedge trimmers in order to meet the need for professional hedge trimmers in the Netherlands and abroad. Considering the number of machines that have been sold, this approach can certainly be deemed successful!

IN THIS CATEGORY



HS75HR



HS130HR



HS131HR



HS131C



HS150HR



HS210HR



HS240HR



HS75ER

PATENTED



HEDGE TRIMMER

HS75HR

A SINGLE PROCESS

The Becx HS75HR is the smallest machine in the hedge trimmer range of Becx Machines. This hedge trimmer has two trimmer heads and has been fully re-designed. Due to the limited dimensions and smaller components, both the weight is low

and the required oil flow is very small. The HS75HR is therefore compatible with even the smallest of tractors. Of course, this trimmer also has all the qualities that you associate with Becx Machines.

SPECIFICATIONS

	Working width	77 cm
	Trimming capacity	up to 2.0 cm
	Weight	76 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	3000 rpm
	Required connections	Pressure – Return – Drain lines (pressure-free)
	Required oil supply	circa 24 l/min (featuring 8cc motor as standard)
	Min./max. oil pressure	180 bar

The HS75HR will be supplied with 110 cm hoses as standard.

OPTIONS

- ✓ Flow regulator for adjusting the volume flow.

ABOUT THE HS75HR

SAFE AND RELIABLE

Becx Machines has taken safety to the next level with the HS75HR. Because the primary aim is a lightweight hedge trimmer, the hood and the frame had to be lighter. Extra safety is ensured by making the safety components of the hood from high-strength steel, which improves damage resistance by up to four times compared to regular steel. This helps to better guarantee safety.

CAPACITY

Becx Machines hedge trimmers are able to significantly reduce the size of hedges in a single work process, without making concessions in results. Noise levels are very low because the machine only uses hydro-motors and features no chains or V-belts. No concessions have been made with the two trimmer heads of the HS75HR either.

CHOOSE THIS HEDGE TRIMMER

- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Good trimming results
- ✓ Low weight and low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION



PATENTED

HEDGE TRIMMER

HS130HR

A SINGLE PROCESS

The Becx HS130HR hedge trimmer has been specially developed for professional hedge trimming in a single work process. Trimmed material is cut into fine pieces by the double blade (inside the sealed casing) and inserted back into

the hedge. This helps to minimize the clean-up and disposal of hedge trimmings. Becx Machines' patented cutting system ensures the very highest trimming quality.

SPECIFICATIONS

	Working width	127 cm
	Trimming capacity	up to 2.5 cm
	Weight	141 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	2500 rpm
	Required connections	Pressure - Return - Drain lines (pressure-free)
	Required oil supply	circa 30 l/min (featuring 11cc motor as standard)
	Min./max. oil pressure	180 bar

The HS130HR will be supplied with 110 cm hoses as standard.

OPTIONS

- ✓ 16cc motors (circa 45 l/min continuous volume flow needed).
- ✓ Flow regulator for adjusting the volume flow.

ABOUT THE HS130HR

SAFE AND RELIABLE


Thanks to its sealed casing, the HS130HR is deemed to be extremely safe. The casing helps to prevent trimmings from scattering. Downtime is kept to a minimum thanks to the use of high quality materials, effective construction and direct transmission based on strong hydro-motors. The machine is also very easy and cheap to maintain.

CAPACITY

Becx Machines hedge trimmers are able to significantly reduce the size of hedges in a single work process, without making concessions in results. The machine produces very little noise because it only uses hydro-motors and features no chains or V-belts.

CHOOSE THIS HEDGE TRIMMER

- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Perfect trimming results
- ✓ Large capacity and low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760


W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION



PATENTED



HEDGE TRIMMER

HS131HR

DEVELOPMENT

We listened to our customers and their experiences with the HS130HR and HS150HR, and have been able to take hedge trimming with the Becx HS131HR to the next level. The machine's

capacity is slightly higher than the HS130HR. The machine is even better at mulching, discards even less trimmed material and has a more robust casing.

SPECIFICATIONS

	Working width	131 cm
	Trimming capacity	up to 3.0 cm
	Weight	175 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	2500 rpm
	Required connections	Pressure - Return - Drain lines (pressure-free)
	Required oil supply	circa 45 l/min (only available with 16cc motor)
	Min./max. oil pressure	180 bar

The HS131HR will be supplied with 110 cm hoses as standard.

ABOUT THE HS131HR

SAFE AND FAMILIAR

Basically, the HS131HR is a reliable hedge trimmer similar to the HS130HR. The reliable hydro-motors and bearing houses are also used in the new machine. A number of new properties have been added to these familiar basic elements. For instance, the standard HS131HR features some hydraulic safety elements and the blade heads are even easier to maintain.

FUNCTIONAL

The HS131HR features a roller as standard in order to protect the casing. The roller will serve as a buffer should the trimmer touch the ground.

CHOOSE THIS HEDGE TRIMMER

- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Perfect trimming results
- ✓ Large capacity and low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION



PATENTED

HEDGE TRIMMER

HS131C



FURTHER DEVELOPMENT

The Becx HS131C is a further development of the HS131HR. Due to changes in the casing and the blade, it is now possible to collect the trimmed waste in an extraction container.

SPECIFICATIONS

	Working width	131 cm
	Trimming capacity	up to 2.0 cm
	Weight	188 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	2500 rpm
	Required connections	Pressure - Return - Drain lines (pressure-free)
	Required oil supply	circa 45 l/min (only available with 16cc motor)
	Min./max. oil pressure	180 bar

The HS131C will be supplied with 110 cm hoses as standard.

ABOUT THE HS131C

MULTIFUNCTIONAL

All HS131C hedge trimmers supplied since 2019 can be converted into a standard hedge trimmer. All HS131HR hedge trimmers supplied since 2019 can be converted into a hedge trimmer with collection possibilities.

SAFE AND FAMILIAR

When constructing an HS131C, exactly the same familiar components are used as for the HS131HR.

HEDGE TRIMMER

This machine is suitable for collecting trimmings.

CHOOSE THIS HEDGE TRIMMER

- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Perfect trimming results
- ✓ Large capacity and low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION



PATENTED

HEDGE TRIMMER

HS150HR

LARGER

The Becx HS150HR is one of the largest machines in the Becx range of hedge trimmers. The trimming width has increased, as has the trimming capacity. The standard casing is

very robust, which means an extra buffer is not needed when attached to for example an excavator.

SPECIFICATIONS

	Working width	150 cm
	Trimming capacity	up to 3.5 cm
	Weight	217 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	2000 rpm
	Required connections	Pressure - Return - Drain lines (pressure-free)
	Required oil supply	circa 45 l/min (featuring 22cc motor as standard)
	Min./max. oil pressure	180 bar

The HS150HR is always supplied with agricultural couplings that are mounted directly on the hydraulic block.

OPTIONS

- ✓ Flow regulator for precisely adjusting the volume flow.
- ✓ Bracket to aid assembly with the DRHS55 and ERHS45.

ABOUT THE HS150HR

SOLID BASIS

The HS150HR has remained loyal to the basic principles of Becx Machines' hedge trimmers. Three motors, three trimmer heads with four double blades and the patented blade configuration. This helps to safeguard reliability as well as trimming quality. The casing design is robust, effectively reduces the size of the material and is very safe.

VERSATILE

Its powerful trimming mechanism enables the HS150HR to be used flexibly for a variety of hedges and ground covers. Due to the high intake, hedges can be significantly reduced in size in a single work process. The HS150HR is ideal for heavy duty work. Large tractors and/or excavators (with double rotator DRHS55) are ideal machines for carrying the HS150HR.

CHOOSE THIS HEDGE TRIMMER

- ✓ If you want to trim hedges using an excavator
- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Perfect trimming results
- ✓ Very robust
- ✓ Extra-large capacity and low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION



PATENTED

HEDGE TRIMMER

HS210HR

LARGE

The Becx HS210HR is the second largest machine in the hedge trimmer range of Becx Machines.

This hedge trimmer with five trimmer heads is based on the HS131HR and therefore has all the advantages of the previous models.

SPECIFICATIONS

	Working width	211 cm
	Trimming capacity	up to 3.0 cm
	Weight	269 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	2500 rpm
	Required connections	Pressure - Return - Drain lines (pressure-free)
	Required oil supply	circa 90 l/min (only available with 16cc motor)
	Min./max. oil pressure	180 bar

The HS210 is always supplied with agricultural couplings that are mounted directly on the machine.

OPTIONS

- ✓ 11cc motors (circa 60 l/min continuous oil flow needed).

ABOUT THE HS210HR

SAFE AND RELIABLE

The sealed casing of the HS130HR is exceedingly safe. The casing helps to prevent trimmings from scattering. Downtime is kept to a minimum thanks to the use of high-strength steel, a solid construction and direct drive by top-quality hydro-motors. The machine is also very easy and cheap to maintain.

CAPACITY

Becx Machines hedge trimmers are able to significantly reduce the size of hedges in a single work process, without making concessions in results. Noise levels are very low because the machine only uses hydro-motors and features no chains or V-belts. Furthermore, this machine is designed to cover a lot of distance. Many hedges can be trimmed in one go thanks to the 210-cm working width.

CHOOSE THIS HEDGE TRIMMER

- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Excellent trimming results
- ✓ Extra-large capacity and working width
- ✓ Low noise levels
- ✓ Compatible with almost all mowing arms




LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE 
AND SEE THE
MACHINE IN
ACTION





PATENTED

HEDGE TRIMMER

HS240HR

LARGEST

The Beccx HS240HR is the largest machine in the hedge trimmer range of Beccx Machines. This hedge trimmer with five trimmer heads is based on the HS150HR and therefore has all the advantages of the previous models.

The standard casing is extremely robust, so there is no need for an extra protection buffer when it is attached to a crane, for example.

SPECIFICATIONS

	Working width	240 cm
	Trimming capacity	up to 3.5 cm
	Weight	365 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	2000 rpm
	Required connections	Pressure - Return - Drain lines (pressure-free)
	Required oil supply	circa 90 l/min (only available with 22cc motors)
	Min./max. oil pressure	180 bar

The HS240HR is always supplied with agricultural couplings that are mounted directly on the machine.

ABOUT THE HS240HR

SAFE AND RELIABLE

The sealed casing of the HS240HR is exceedingly safe. The casing helps to prevent trimmings from scattering. Downtime is kept to a minimum thanks to the use of high-strength steel, a solid construction and direct drive by top-quality hydro-motors. The machine is also very easy and cheap to maintain.

CAPACITY

Becx Machines hedge trimmers are able to significantly reduce the size of hedges in a single work process, without making concessions in results. Noise levels are very low because the machine only uses hydro-motors and features no chains or V-belts. Furthermore, this machine is designed to cover a lot of distance. Many hedges can be trimmed in one go thanks to the 240-cm working width.

CHOOSE THIS HEDGE TRIMMER

- ✓ Very safe thanks to a sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Excellent trimming results
- ✓ Extra-large capacity and working width
- ✓ Low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION



PATENTED



HEDGE TRIMMER







HS75ER

ELECTRIC WITHOUT CONCESSIONS

The Becx HS75ER is the latest machine in the hedge trimmer range of Becx Machines. This hedge trimmer represents a further development of the existing HS75HR. Because hydraulic motors have been replaced by 48-volt electric motors,

it is now possible to trim hedges while releasing zero emissions. This trimmer, which is powered by electric motors, possesses exactly the same qualities as our regular hedge trimmers.

SPECIFICATIONS

	Working width	77 cm
	Trimming capacity	up to 2.0 cm
	Weight	77 kg
	Fixing sleeve	80 x 80 mm
	Maximum revolutions	3000 rpm
	Required connections	48 Volt

ABOUT THE HS75ER

SAFE AND FAMILIAR


Besides the use of electric motors, the machine is identical to the HS75HR. It is constructed using the same high-quality materials and components. This means it is possible to convert existing hydraulic HS75HR machines into electrically-driven versions or vice versa.

CAPACITY

Thanks to two electric motors that offer two kilowatts per motor, the HS75ER has the same capacity as the hydraulic version.

CHOOSE THIS HEDGE TRIMMER

- ✓ Extremely safe thanks to sealed casing made from high-strength steel
- ✓ Reliable and cost-reducing
- ✓ Excellent trimming results
- ✓ Low weight and low noise levels
- ✓ Compatible with almost all mowing arms



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION







HYDRAULIC ARMS & ROTATORS

After many requests from customers, we decided to design our own hydraulic arms and rotators. Because various functions have been combined intelligently, these arms and rotators are easy to use and make our attachment tools a lot more accessible to everyone.

IN THIS CATEGORY



WLA60



MA270



DRHS34



ERHS45



DRHS55



HYDRAULIC ARMS

WLA60

WHEEL LOADER

From now on, you will be able to use your wheel loader for a wider range of purposes thanks to the WLA60. This trimming arm makes it possible to assemble Becx Machines hedge trimmers on your loader. The WLA60 has been designed so that it can

be attached to more or less any wheel loader. Becx Machines offers various solutions if your wheel loader does not feature the required double valves.

SPECIFICATIONS

Extension width	60 cm
Rotation angle	105 degrees
Dead weight	120 kg
Tool clamp	80 x 80 mm
Maximum tool weight	180 kg
Required double hydraulic functions	2
Min. - Max. oil pressure	140 - 200 bar

Take note: A separate continuous volume flow will be needed to power your trimmer/tool. The WLA60 will be supplied with hoses to the attachment plate as standard.

ABOUT THE WLA60

FUNCTIONS

The WLA60 can be extended by 60 cm and tilted by 105 degrees. When used together with your wheel loader's lifting function, it allows you to trim most hedges. The WLA60 is able to carry the HS75HR, HS130HR and HS131HR.

(The hedge trimmer in the image is not included).

CHOOSE THIS TRIMMING ARM

- ✓ Trim hedges with your wheel loader/loader
- ✓ Make your wheel loader/loader even more versatile
- ✓ Easy to connect and disconnect
- ✓ Simple and cost-efficient maintenance
- ✓ Compatible with almost all brands of wheel loaders/loaders
- ✓ Easy assembly and disassembly



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





HYDRAULIC ARMS

MA270

VERSATILE

Mechanical trimming pays dividends! However, you need the right tools. Naturally, you can rely on the hedge trimmers of Becx Machines. In order to effectively use these trimmers, Becx Machines has also developed its own mowing arms. The MA270 is a mowing arm with a reach of 270 cm and can be mounted on the left- and right-hand side of the carrying vehicle. The MA270 arm is hydraulically adjustable. The tool coupling is rotated manually

on the standard version but can be fitted with a hydraulic swivel unit. It is also possible to opt for a 'non-adjustable head', which makes it easier to trim the reverse side of hedges. The mowing arm can easily be converted to other versions at a later time!

SPECIFICATIONS

Range from center	40 - 270 cm
Dead weight	300 kg
Maximum tool weight	180 kg
Arm rotation	180 degrees
Drive security	Hydraulic
Coupling MA270M	3-point Cat II
Required double hydraulic functions	3
Required 12V switch connection	1
Tool coupling: 80x80 mm	180-degree manual rotation
Min. - Max. oil pressure	180 - 250 bar

Take note: A separate continuous volume flow will be needed to power your trimmer/tool.

OPTIONS

- ✓ Tool coupling, hydraulically adjustable.
- ✓ Non-adjustable tool coupling (tool can be adjusted 230 degrees to trim the reverse side of hedges).

ABOUT THE MA270

COMPACT

Whichever version is selected, the MA270 offers high freedom of movement. The machine has also been constructed as light and compact as possible, without making concessions in quality. The working range of the MA270 is highly suitable for trimming hedges up to 270 cm from the center of the machine, as well as hedges that are very close to the machine. This is one of the characteristics that make the machine so unique!

The arm can be rotated 180 degrees, which makes it possible to trim all edges and sides of the hedge with a single machine combination.

(The hedge trimmer in the image is not included).

CHOOSE THIS MOWING ARM

- ✓ Rotation 180 degrees
- ✓ Choice of tool-coupling movement (non-adjustable, manual or hydraulically adjustable)
- ✓ High freedom of movement and very stable
- ✓ Simple and cost-efficient maintenance
- ✓ Parallel operated arm
- ✓ Hydraulic drive security



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





ROTATORS

DRHS34

MINI EXCAVATOR

Mini and midi cranes/excavators are increasingly being used for professional trimming activities. Becx Machines has developed the DRHS34 especially for this purpose. This double rotator unit features a universal CW5 quick-release connection. The rotator unit can also be fitted with other versions.

SPECIFICATIONS

Height in relation to coupling	34 cm
Rotation angle	180 degrees
Dead weight	132 kg
Tool clamp	80 x 80 mm
Maximum tool weight	250 kg
Required double hydraulic functions	2

Take note: A separate continuous volume flow will be needed to power your trimmer/tool. The DRHS34 is delivered without hoses and couplings.

OPTIONS

- ✓ Extra price between one and two double functions.

ABOUT THE DRHS34

FREEDOM OF MOVEMENT

The DRHS34 is suitable for hedge trimmers and other tools with a maximum weight of 250 kg. By using two hydraulic swivel units, it is possible to rotate 180 degrees horizontally and vertically. The coupling point for tools is a clamp connection for shafts measuring 80 x 80 mm.

CHOOSE THIS ROTATOR UNIT

- ✓ Trim hedges with your (mini) excavator
- ✓ High freedom of movement and very stable
- ✓ Simple and cost-efficient maintenance
- ✓ Easy to maintain
- ✓ CW05 quick-release coupling (standard)



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





ROTATORS

ERHS45

Excavators are increasingly being used for professional trimming activities. Becx Machines has developed the ERHS45 especially for this purpose. This single rotator unit has a universal

CW10 quick-release connection as standard. The ERHS45 can also be fitted with other types of quick-release connections.

SPECIFICATIONS

Height in relation to coupling	45 cm
Rotation angle	180 degrees
Dead weight	158 kg
Tool clamp	80 x 80 mm
Maximum tool weight	450 kg
Required double hydraulic functions	1
Take note: A separate continuous volume flow will be needed to power your trimmer or other tool. The ERHS45 is delivered without hoses and couplings.	

ABOUT THE ERHS45

FREEDOM OF MOVEMENT

The ERHS is compatible with all Becx Machines hedge trimmers. By using a hydraulic swivel unit, it is possible to rotate 180 degrees horizontally and vertically. The coupling point for tools is a clamp connection for shafts measuring 80 x 80 mm.

CHOOSE THIS ROTATOR UNIT

- ✓ Trim hedges with your excavator
- ✓ High freedom of movement
- ✓ Extremely stable
- ✓ Easy to maintain
- ✓ Standard CW10 quick-release coupling



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





ROTATORS

DRHS55

MINI EXCAVATOR

Excavators are increasingly being used for professional trimming activities. Becx Machines has developed the DRHS55 especially for this purpose. This double rotator unit features a universal CW10 quick-release connection. The DRHS55 can also be fitted with other types of quick-release connections.

SPECIFICATIONS

Height in relation to coupling	55 cm
Rotation angle	180 degrees
Dead weight	220 kg
Tool clamp	80 x 80 mm
Maximum tool weight	450 kg
Required double hydraulic functions	2
Take note: A separate continuous volume flow will be needed to power your trimmer or other tool. The DRHS55 is delivered without hoses and couplings.	

ABOUT THE DRHS55

FREEDOM OF MOVEMENT

The DRHS55 is compatible with all Becx Machines hedge trimmers. By using two hydraulic swivel units, it is possible to rotate 180 degrees horizontally and vertically. The coupling point for tools is a clamp connection for shafts measuring 80 x 80 mm.

CHOOSE THIS ROTATOR UNIT

- ✓ Trim hedges with your (mini) excavator
- ✓ High freedom of movement and very stable
- ✓ Simple and cost-efficient maintenance
- ✓ CW10 quick-release coupling (standard)



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION







WEED BRUSHES & GRASS TRIMMERS

Our weed brushes literally allow you to go in any direction. When combined with a grass trimmer, you can reduce costs by performing two tasks in a single work process.


IN THIS CATEGORY



OB90M




OB90



OBA50



OBKS50-35



OBKS90-45



WEED BRUSHES

OB90M

MANUAL

The M in OB90M stands for manual. The clever construction allows the user to adjust the OB90M fully to its wishes and requirements. Thanks to a swivel reach of 180 degrees, the machine can be used across a great range. The angle of the head can be tilted with respect to the paved

surface. No hydraulic swivel options are used, which means the carrying vehicle only requires a hydraulic pressure and return connection.

SPECIFICATIONS

Brush diameter	90 cm
Weight	133 kg
Required connections	Pressure - Return (Leak line is recommended)
Required oil supply	20 - 45 l/m
Min. - Max. oil pressure	180 - 200 bar

OPTIONS

- ✓ Segment brush, available in metal as well as plastic.

ABOUT THE OB90M

MULTIFUNCTIONAL

Not only can the width of the OB90M be adjusted, but the brush head can also be tilted. This makes it possible to brush uneven street surfaces or for example gutters. The brush is easy to replace. Nothing prevents you from using this machine on all types of terrain.

RELIABLE

By using high-quality materials and components, we have once again succeeded in developing a reliable machine. We have made no concessions in functionality and quality, and have created a machine that can be used for many years.

CHOOSE THIS WEED BRUSH

- ✓ Minimum damage to surface due to use of a large brush
- ✓ Very low noise levels
- ✓ Width of brush arm mechanically adjustable
- ✓ Can be mounted on almost all wheel loader, tractor or tool carrier brands
- ✓ Brush head can be tilted 40 degrees mechanically



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





WEED BRUSHES

OB90

FULLY HYDRAULIC

The OB90 is an ideal choice for users who cover a lot of cleaning meters every day. All configuration possibilities are controlled hydraulically, which allows the operator to easily reach all sides and corners without losing time.

The brush arm has a large reach and can be swiveled from left to right. The head can be tilted backwards and forwards, and from left to right.

This allows the operator to position the brush exactly wherever necessary.

The OB90 is also available with hydraulically adjustable edge trimmers. Conversion is always possible if you later decide to use your machine to trim edges.

SPECIFICATIONS

Brush diameter	90 cm
Weight	226 kg
Required oil supply	20 - 45 l/m
Required double hydraulic functions	3
Min. - Max. oil pressure	180 - 200 bar

OPTIONS

- ✓ Switchover function, to reverse rotational direction.
- ✓ Segment brush, available in metal as well as plastic.


ABOUT THE OB90

ENVIRONMENT

Unlike many weed control machines, the OB90 does not use toxic substances or extra diesel when boiling water. The OB90 operates via the hydraulics of the tool carrier and is thus a perfect future-oriented solution when it comes to large-scale, sustainable and safe weed control. An extra-large weed brush, with many bristles, has been developed to prevent damage to brushed surfaces. This brush offers excellent results at low revs!

CHOOSE THIS WEED BRUSH

- ✓ Minimum damage to surface due to use of a large brush
- ✓ Very low noise levels
- ✓ Brush arm hydraulically adjustable in all directions
- ✓ Can be mounted on almost all tool-carrier, tractor or loader brands



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





WEED BRUSHES

OBA50

HYDRAULICALLY-DRIVEN WEED BRUSH

The A in the type designation stands for arm. This refers to an arm that is normally used to trim hedges or to mow verges and the edges of ditches. The OBA50 is highly compatible with the MA270 by Bexx Machines. By using the arm's freedom of movement, it is also possible to access

places that cannot be reached with a standard brushing machine. For instance, embankments under viaducts, traffic islands and other inaccessible or difficult-to-access places.

SPECIFICATIONS

Brush diameter	50 cm
Weight	105 kg
Required oil supply	20 - 45 l/m
Min. - Max. oil pressure	180 - 200 bar

The OBA50 is delivered with 180 cm hoses as standard.

OPTIONS

- ✓ Hydraulic swiveling brush head.
- ✓ The machine is also available with a 90 cm weed brush.

ABOUT THE OBA50

RELIABLE

By using high-quality materials and components, we have once again succeeded in developing a reliable machine. We have made no concessions in functionality and quality, and have created a machine that can be used for many years.

CHOOSE THIS WEED BRUSH:

- ✓ Minimum damage to surfaces thanks to a brush with many strands
- ✓ Very low noise levels
- ✓ Brush arm mechanically adjustable
- ✓ Compatible with almost all mowing arms
- ✓ Adjustable brush head



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





WEED BRUSHES/GRASS TRIMMERS

OBKS50-35

INTELLIGENT DESIGN

The weed brush/edge trimming machines of Becx Machines make it possible to brush surfaces and trim grass in a single work process. The standard OBKS50-35 has a brush diameter of 50 cm and a trimming diameter of 35 cm. A standard machine

allows the working width to be mechanically adjusted, as well as the height of edge-trimming blades in relation to the brush. The angle of the brush can also be mechanically adjusted.

SPECIFICATIONS

Brush diameter	50 cm
Blade diameter	35 cm
Weight	221 kg
Required oil supply	20 - 45 l/m
Min. - Max. oil pressure	180 - 200 bar

OPTIONS

- ✓ Hydraulic configuration working width.
- ✓ Hydraulic configuration blade height.
- ✓ Swiveling brush head.

ABOUT THE OBKS50-35

HYDRAULIC OPTIONS

The working width and the height of the blade can be adjusted hydraulically. These options can easily be added to your machine at a later time. If your machine does not have enough double hydraulic functions, Becx Machines is able to offer various solutions.

CHOOSE THIS GRASS TRIMMER/WEED BRUSH

- ✓ Brushing and edge trimming in a single work process
- ✓ Mechanical and hydraulic controls
- ✓ Compatible with almost all tool carriers, tractors or loaders
- ✓ Hydraulically-driven brush



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





WEED BRUSHES/GRASS TRIMMERS

OBKS90-45

FULLY HYDRAULIC

The OBKS90-45 is a superb, complete machine for professional users. The operator can control all rotation and swivel functions from his cabin. This range of configuration possibilities improves the number of meters that can be brushed and cut each day. Because the brush and blade can be configured from inside the cabin, this machine is able to trim most grass verges and brush most

surfaces. It is also possible to fully withdraw the blade, thus allowing only brushing activities to be carried out. If the tool carrier does not have enough hydraulic functions, Bexx Machines is able to offer various solutions.

SPECIFICATIONS

Brush diameter	90 cm
Blade diameter	45 cm
Weight	306 kg
Required oil supply	20 - 60 l/m
Min. - Max. oil pressure	180 - 200 bar
Required double hydraulic functions	3
Required adjustable 12 volt. connection	2

The OBKS90-45 is supplied with two pressure-regulated valves on brush-head cylinders as standard.

OPTIONS

- ✓ Available without edge trimmers; see OB90.
- ✓ Segment brush, available in metal as well as plastic.
- ✓ Switchover function, to reverse rotational direction.
- ✓ Machine can also be fitted with a trimming arm on the left-hand side.

ABOUT THE OBKS90-45

ENVIRONMENT


Unlike many weed control machines, the OBKS90-45 does not use toxic substances or extra diesel when boiling water. The OBKS90-45 works via the hydraulics of the tool carrier and is thus a perfect future-oriented solution when it comes to large-scale, sustainable and safe weed control. An extra-large weed brush, with many bristles, has been developed to prevent damage to brushed surfaces. This brush offers excellent results at low revs!

BLADE

Both the height and width of the trimming arm can be adjusted. Both settings feature pressure-regulated valves, which prevent the blade from moving into unwanted positions. The blade controls also feature two accumulators that allow the blade to deviate if excessive pressure is encountered. A clearly visible pressure meter allows the operator to keep a close eye on the pressure.

CHOOSE THIS GRASS TRIMMER/WEED BRUSH

- ✓ Cost-efficient for customers due to the combined trimming and brushing process
- ✓ Minimum damage to surface due to use of a large brush
- ✓ Very low noise levels
- ✓ Brush arm hydraulically adjustable in all directions
- ✓ Blade hydraulically adjustable in height and width
- ✓ Blade arm features hydraulic pressure-regulated valves
- ✓ Suitable as weed brush when blade withdrawn
- ✓ Can be mounted on almost all tool-carrier, tractor or loader brands



LIKE TO KNOW MORE ABOUT THIS MACHINE?

Check out our website or see this machine in action!

T +31 (0)13 - 207 0760

W www.becxmachines.com

M info@becxmachines.com

SCAN THE
CODE →
AND SEE THE
MACHINE IN
ACTION





BECX MACHINES B.V.

De Sonman 35
5066 GJ Moergestel
The Netherlands

+31 (0)13 - 207 07 60
info@becxmachines.com
becxmachines.com